



1 Februari 2021

Trek/Buigveren & Metaalwaren
Dé specialist in kabelintreksystemen

Inhoudsopgave TABLE OF CONTENTS

Trekveren FISHTAPES

	P.
IDEAAL trekveren voor de elektrotechniek <i>IDEAAL fishtapes for the electrical engineering sector</i>	2
Platte en verzinkte trekveren <i>Flat and galvanized fishtapes</i>	3
Kabeltrekkousen voor de elektrotechniek <i>Cable grips for the electrical engineering sector</i>	3
Spirado / Spiratrek <i>Tools to help pulling/pumping fishtapes</i>	3
Zoekveer en koppelstukje voor M5 trekveer <i>Flexible lead spring and connection piece for M5 fishtape</i>	3
Kabelbinders voor trekveren, kabels, draden, slangen etc./ Oprolhaspel Ideaal Trekveren <i>Cable clamps for fishtapes, cables, threads etc.</i>	4
Oprolhaspel voor Ideaal Trekveren <i>Reel for IDEAAL fishtape inclusive set of tools</i>	4
Glasfiber kabeltrek staven voor de elektrotechniek <i>Glass fibre push - pull rod for electrical engineering</i>	5
Nylon trekveren <i>Nylon fishtapes</i>	6
Polyester trekveren <i>Polyester fishtapes</i>	7
Glasfiber trekveren voor de elektrotechniek <i>Glasfiber fishtapes for the electrical engineering sector</i>	8



Buigveren BENDING SPRINGS

IDEAAL buigveren voor de elektrotechniek <i>IDEAAL bending spring (electrical)</i>	13
Buigveer sanitair en cv-techniek (voor PEX radiator buizen) <i>Bending spring for Sanitary - and Central heating technology (PEX pipe)</i>	14
Plooi veer voor koperen buis <i>Bending spring for copper pipe</i>	14



Rioolveren DRAIN CLEANING CABLE

Ontstoppingsapparaten voor hand en boormachine aandrijving <i>Drain cleaner for manual and power drill use</i>	15
Ontstoppingsveren doe-het-zelf <i>Drain cleaning cables do-it-yourself</i>	16



IDEAAL



WYMEFA BV, Bijsterhuizen 2113, 6604 LE Wijchen, The Netherlands
Leveringen uitsluitend via de groothandel *Deliveries exclusively through wholesaler*

VALON

IDEAAL trekveren voor de elektrotechniek (vakman)

IDEAAL fishtapes for electrical engineering sector (professional)

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Franco: vanaf € 300,=


Speciale verpakking wordt berekend

IDEAAL blank stalen (dr.1,3mm) Trekveer Ø 5,2mm met binnenKABEL

IDEAAL natural steel (wire 1,3mm) fishtape Ø 5,2mm with inner cable

90010	2	1	0,215	8715089 900104
90110	5	30	0,550	8715089 901101
90210	10	15	1,080	8715089 902108
90510	15	10	1,585	8715089 905109
90810	20	8	2,100	8715089 908100
91310	25	5	2,600	8715089 913104
91410	30	5	3,225	8715089 914101
91710	40	1	4,130	8715089 917102
91810	50	1	5,160	8715089 918109


buis / tube Ø 16 t/m Ø 50 mm



IDEAAL blank stalen (dr.1,3mm) Trekveer Ø 5,2mm met binnenKABEL + 1 kogelkop


IDEAAL natural steel (wire 1,3mm) fishtape Ø 5,2mm with inner cable + 1 ball

90020	2	1	0,215	8715089 900203
90120	5	30	0,550	8715089 901200
90310	10	15	1,080	8715089 903105
90610	15	10	1,585	8715089 906106
91110	20	8	2,080	8715089 911100
91320	25	5	2,600	8715089 913203
91510	30	5	3,095	8715089 915108
91720	40	1	4,130	8715089 917201
91820	50	1	5,160	8715089 918208



IDEAAL blank stalen (dr.1,3mm) Trekveer Ø 5,2mm met binnenKABEL + 2 kogelkoppen (+ 2 balls)


90030	2	1	0,215	8715089 900302
90130	5	30	0,550	8715089 901309
90410	10	15	1,080	8715089 904102
90710	15	10	1,585	8715089 907103
91210	20	8	2,080	8715089 912107
91340	25	5	2,600	8715089 913401
91610	30	5	3,095	8715089 916105
91830	40	1	4,130	8715089 918307
91920	50	1	5,160	8715089 919205



IDEAAL blank stalen (dr.1,3mm) Trekveer Ø 5,2mm met binnenKABEL + 1 M5 kopje

90320	10	15	1,080	8715089 903204
90620	15	10	1,585	8715089 906205
91120	20	8	2,080	8715089 911209
91330	25	5	2,600	8715089 913302
91620	30	5	3,095	8715089 916204
91630	40	1	4,130	8715089 916303
91640	50	1	5,160	8715089 916402

(1 M5 head)



IDEAAL blank stalen (dr.1,3mm) Trekveer Ø 5,2mm met binnenKABEL + 2 M5 kopjes (+ 2 M5 heads)

90321	10	15	1,080	8715089 903211
91121	20	8	2,080	8715089 911216



(M5 kopje geschikt voor kabeltrekkousen/zoekveer/koppelstuk) (M5 suitable for Cable Pulling Grips/search spring/connection piece)

IDEAAL blank stalen (dr.1,3mm) Trekveer Ø 5,2mm met binnenKABEL + 2 sleufkoppen

IDEAAL natural steel (wire 1,3mm) fishtape Ø 5,2mm with inner cable + 2 slotted heads

90330	10	15	1,080	8715089 903303
91130	20	8	2,080	8715089 911308
91135	30	5	3,095	8715089 911353



(sleufkop geschikt voor 5 draden) (slotted head compatible for 5 wires)

Z \ P H I D # E Y # # # E l w h u k x l h q # 5 4 0 4 6 / # # 9 3 7 # D H # Z I M F K H Q / # Q h g h u a i q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # B 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # # u # Q 0 ; 3 8 < 5 : 5 < 6 / # N Y N # D u k h p # # 3 4 7 : 3 < ; / # E h e v l n # z z z l z | p h i d l q # # i p d l # # i r C z | p h i d l q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.

Platte en verzinkte trekveren

Flat and galvanized fishtape

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. In m	Packing	Weight p.pc	EAN code

ELEMEC Platte trekveer uit verenbandstaal 3,5 x 0,5 mm

ELEMEC flat fishtape from spring strip steel 3,5 x 0,5 mm

51005	5	10	0,075	8715089 510051
51010	10	10	0,137	8715089 510105
51015	15	10	0,205	8715089 510150
51020	20	10	0,285	8715089 510204
51025	25	10	0,335	8715089 510259
51030	30	10	0,402	8715089 510303

ELEMEC verzinkte stalen (draad 1,5mm) trekveer Ø 5,7mm zonder binnenDRAAI

ELEMEC galvanized steel (wire 1,5 mm) fishtape Ø 5,7 mm without inner cable

90405	5	12	0,580	8715089 904058
90420	10	12	1,160	8715089 904201
90720	15	12	1,730	8715089 907202
91220	20	12	2,310	8715089 912206

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week


Franco: vanaf € 300,=

Speciale verpakking wordt berekend

buis / tube Ø 20 t/m Ø 32 mm




buis / tube Ø 16 t/m Ø 20 mm



Kabeltrekkousen voor de elektrotechniek (vakman)

Cable grips for electrical engineering sector (professional)

98200	voor kabel 4 - 6 mm+M5	1	0,006	8715089 982001
98300	voor kabel 6 - 9 mm+M5	1	0,010	8715089 983008
98400	voor kabel 9 -12 mm+M5	1	0,015	8715089 984005
98500	voor kabel 12-15 mm+M5	1	0,020	8715089 985002
98600	voor kabel 15-19 mm+M5	1	0,025	8715089 986009
98700	voor kabel 19-25 mm+M5	1	0,045	8715089 987006
98800	voor kabel 25-31 mm+M5	1	0,510	8715089 988003
98890	voor kabel 30-40 mm	1	0,540	8715089 988904
98891	voor kabel 40-50 mm	1	0,000	8715089 988911
98894	voor kabel 50-60 mm	1	1,090	8715089 988942
98895	voor kabel 60-70 mm	1	1,510	8715089 988959
98896	voor kabel 70-80 mm	1	1,520	8715089 988966



IDEAAL M5 schroefkop

IDEAAL M5 screw head

98100	losse M5 schroefkop met sleuf (reserve)	8715089 981004
	Detachable M5 screw head with groove (reserve)	



Spirado / Spiratrek

Apparaten (hulpgereedschappen voor het trekken/pompen van trekveren)

Tools to help pulling/ pumping fishtapes

98915	Spirado trekveerpomp	0,520	8715089 989154
98910	Spiratrek apparaat	0,395	8715089 989109
98900	Ideaal power disc(hulpstuk v. draadtrekken)	8715089 989000	
98916	Busje voor Spirado trekverenpomp (voorstuk)	8715089 989161	



Zoekveer en koppelstukje voor M5 Trekveer

Flexible lead spring and Connection Piece for M5 fishtape

98110	Ideaal M5 zoekveer 7mm	0,009	8715089 981103
98111	Ideaal M5 zoekveer 10mm	0,007	8715089 981110
98112	Ideaal M5 zoekveer 13mm	0,022	8715089 981127
98120	Ideaal M5 koppelbusje (om 2 M5 TV te koppelen)	8715089 981202	



Z \ P H I D E Y

E l v n u k x l h q # 4 0 4 6 / # 9 3 7 # D H # l f k h q / Q h g h u a l q g / # h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # t u # 0 ; 3 8 < 5 : 5 < 6 / # N Y N # D u k h p # 3 4 7 : 3 < ; / # E v l n # z z l z | p h i d l q # 1 0 p d l # i r c z | p h i d l q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.

**Oprolhaspel voor IDEAAAL trekveren incl.gereedschapset**

Bevat: Oprolhaspel, IDEAAAL trekveer M5, gereedschapstas, kabelbinders
 middel (set 5st), buigveer 5/8x80cm(+binnenkabel), buigveer 3/4x80xcm
 (+binnenkabel), kabeltrekkous Ø 6-9mm

Reel for IDEAAAL fishtape inclusive set of tools

Contains: Reel, IDEAAAL fishtape M5, bag for tools, Cable clamps midium (5 pcs), bending
 spring 5/8x80cm(+inner cable), bending spring 3/4x80cm(+inner cable),
 cable grip Ø 6-9mm

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Franco: vanaf € 300,=

Speciale verpakking wordt berekend

Artikelnr.	omschrijving	Gewicht p.st.	EAN code
Article nr.	specification	Weight p.pc	EAN code
98930	Oprolhaspel+30m M5 trekv.(+4 tools)	13kg	8715089 989307
98940	Oprolhaspel+40m M5 trekv.(+4 tools)	15kg	8715089 989406
98945	Oprolhaspel+50m M5 trekv.(+4 tools)	16kg	8715089 989451

(verzendkosten zie pag.17)

**Kabelbinders voor trekveren,kabels,draden,slangen,etc.**

Cable clamps for fishtapes, cables,threads,tubes,etc.

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Kabelbinders (hersluitbaar) voor het samenbinden van trekveren,kabels, etc.

Cable clamps (releasable) to tie fishtapes,cables,etc. together

Voor IDEAAAL trekveren Ø5,2mm: 10m,15m,20m,25m.

For IDEAAAL fishtapes Ø5,2mm: 10m,15m,20m,25m.

98919	klein 16-25mm	5	0,063	8715089 989192
98920	klein 16-25mm	25	0,237	8715089 989208

Voor IDEAAAL trekveren Ø5,2mm: 30m,40m,50m.

For IDEAAAL fishtapes Ø5,2mm: 30m,40m,50m.

98922	middel 30-47mm	5	0,154	8715089 989222
98921	middel 30-47mm	25	0,671	8715089 989215

**ELEMEC verzinkte stalen (draad 1,5mm) trekveer Ø 5,7mm met binnenDRAAD Ø 0,8mm**

ELEMEC galvanized steel (wire 1,5 mm) fishtape Ø 5,7 mm with inner cable Ø 0,8mm

56005	5	20	0,590	8715089 560063
56010	10	15	1,170	8715089 560100
56015	15	10	1,740	8715089 560155
56020	20	8	2,320	8715089 560209
56025	25	6	2,890	8715089 560254
56030	30	5	3,470	8715089 560308

Z \ P H I D # E Y

E l v h u k x l] h q # 4 0 1 6 / # 9 3 7 # D H # z l f k h q / # D h g h u w l q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # D 0 4 5 U D E R # B 6 6 9 # k 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # # # D O ; 3 8 < 5 : 5 < 6 / # N Y N # D u q k h p # 3 4 7 : 3 < ; # z h e v l n # z z z z | p h i d i q / # I q d l h i q i r C z | p h i d i q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.

**Glasfiber kabeltrek staven voor de elektrotechniek (vakman)**

Glass fibre push - pull rod for electrical engineering sector (prof.)

Artikelnr. Maten in m Overdoos Gewicht p.st. EAN code
 Article nr. Dimens. in m Packing Weight p.pc EAN code

Betaling: 8 dagen 2%, 30 dagen netto
 Levertijd: ca. 1 week
 Franco: vanaf € 300,=

Standaard Set (voor leiden van kabels in moeilijk bereikbare ruimtes)**Glasfiber kabeltrek staven Ø5mm 6x1M.****Inclusief : M5 adapter +trekhaakje +trekring +kogelkop
zoekstaafje +opberg buis +kabeltrekkous 6 tot 9mm**

Glassfiber push-pull rod Ø5mm 6x1M.


Inclusive : M5 adaptor +pull hook +pull eye +domed head

lead bar +store tube +cable gripp 6 till 9mm

36000 1 set = 6x1m 1 0,410 8715089 360007

Losse onderdelen voor de Standaard Set

37284	staaf rood Ø5mmx1M	1	0,047	8715089 273840
37304	M5 adapter	1	0,005	8715089 373045
37294	trekhaakje	1	0,011	8715089 372949
37296	trekring	1	0,009	8715089 372963
37300	kogelkop	1	0,007	8715089 373007
37310	geleide (zoek) staafje	1	0,014	8715089 373106
37312	opberg buis Ø 32 mm	1	0,186	8715089 373120
98300	kabeltrekkous Ø6-Ø9	1	0,010	8715089 983008

**Super Set (voor leiden van kabels in moeilijk bereikbare ruimtes)****Glasfiber kabeltrek staven Ø4mm 2x1M. +Ø5mm 6x1M. +Ø6mm 2x1M.****Inclusief : lampje +magneet +glijder +trekhaakje +M5 adapter +
buiten/binnen schroefdraad adapter +kogelkopje +plat kopje +
trekring +trekkous 6 tot 9mm +zoek staafje +opberg buis**

Glassfiber push-pull rod Ø4mm 2x1M. +Ø5mm 6x1M. +Ø6mm 2x1M.

Inclusive : lamp +magnet +glider +pull hook +M5 adaptor +
outer/inner screw thread adaptor +domed head +flat head +

pull eye +cable gripp 6 till 9mm +lead bar +store tube

36010 1 set = 10m 1 1,004 8715089 360106

Losse onderdelen voor de Super Set

37282	staaf geel Ø4mmx1M	1	0,036	8715089 372826
37284	staaf rood Ø5mmx1M	1	0,047	8715089 372840
37286	staaf zwart Ø6mmx1M	1	0,070	8715089 372864
37288	lampje (incl.3x batterij)	1	0,016	8715089 372888
37306	3x batterij (voor 37288)	1	0,003	8715089 373069
37290	magneet	1	0,015	8715089 372901
37292	glijder	1	0,035	8715089 372925
37295	trekhaakje	1	0,017	8715089 372956
37296	trekring	1	0,009	8715089 372963
37298	bu-bi schroefdr.adapt.	1	0,004	8715089 372987
37300	kogelkop	1	0,007	8715089 373007
37302	opberg buis Ø 50 mm	1	0,355	8715089 373021
37304	M5 adapter	1	0,005	8715089 373045
98300	kabeltrekkous Ø6-Ø9	1	0,010	8715089 983008
37308	plat kopje	1	0,006	8715089 373083
37310	geleide (zoek) staafje	1	0,014	8715089 373106



Z \ P H I D # E Y

E I v w h u k x l j h q # 4 0 4 6 / # 9 3 7 # D H # z I f k h q / # D h g h u a q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q O 5 X

E W Z # z u # Q ; 3 8 < 5 : 5 < 6 / # N Y N # D u q k h p # 3 4 7 : 3 < ; / # z h e v l n # z z z z | p h i d i q / # I q d l h q i r C z | p h i d i q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.

**Nylon Trekveren**

Nylon fishtape

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Franco: vanaf € 300,=

Speciale verpakking wordt berekend

buis / tube Ø 12 t/m Ø 20 mm**ELEMEC Nylon trekveer Ø 3mm zonder zoekveer 1 bol en 1 oog**

ELEMEC Nylon fishtape Ø 3 mm without flexible lead spring 1 ball and 1 eye

52005	5	25	0,045	8715089 520050
52010	10	25	0,090	8715089 520104
52015	15	15	0,132	8715089 520159
52020	20	12	0,172	8715089 520203
52025	25	10	0,210	8715089 520258
52030	30	8	0,245	8715089 520302

**ELEMEC Nylon trekveer Ø 3mm met zoekveer en 1 oog**

ELEMEC Nylon fishtape Ø 3 mm with flexible lead spring and 1 eye

53010	10	16	0,095	8715089 530103
53015	15	14	0,14	8715089 530158
53020	20	12	0,19	8715089 530202
53025	25	10	0,225	8715089 530257
53030	30	8	0,26	8715089 530301

**buis / tube Ø 16 t/m Ø 25 mm****VALON Nylon trekveer Ø 4mm zonder zoekveer 2 ogen**

VALON Nylon fishtape Ø 4 mm without flexible lead spring 2 eyes

54006	5	25	0,080	8715089 540065
54011	10	20	0,150	8715089 540119
54016	15	12	0,230	8715089 540164
54021	20	10	0,300	8715089 540218
54026	25	8	0,370	8715089 540263
54031	30	6	0,450	8715089 540317
54027	25	8	met zoekveer	

**Valon Nylon trekveer Ø4mm met 1 oog-zoekveer en 1 oog inclusief pvc oprol box (Ø30cm)**

VALON Nylon fishtape Ø 4 mm with 1 eye-flexible lead spring and 1 eye including pvc box (Ø30cm)

54024	20	4	1,245	8715089 540249
-------	----	---	-------	----------------



Z \ P H I D # Y

E l w h k x l j h q # 4 0 4 6 / # 9 3 7 # D H # z l f k h q / # Q h g h u a l q g / # N h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # t u # 0 ; 3 8 < 5 : 5 < 6 / # N Y N # D u k h p # 3 4 7 : 3 < ; / # z h e v l n # z z z l z | p h i d l q # # 1 0 p d l # g i r c z | p h i d l q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.

Polyester Trekveren

Polyester fishtapes

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Betaling: 8 dagen 2%, 30 dagen netto
 Levertijd: ca. 1 week
 Franco: vanaf € 300,=
 Speciale verpakking wordt berekend

Polyester trekveer (oranje) Ø 4,5 mm + zoekveer + 1 M5 kopje

Polyester fishtape (orange) Ø 4,5 mm + flexible lead spring + 1 M5 head

31010	10	10	0,240	8715089 310101
31015	15	5	0,320	8715089 310156
31020	20	5	0,400	8715089 310200
31025	25	4	0,480	8715089 310255

buis / tube Ø 16 t/m Ø 32 mm



Polyester trekveer (zwart) Ø 6,0 mm + zoekveer + 1 M5 kopje

Polyester fishtape (black) Ø 6,0 mm + flexible lead spring + 1 M5 head

32015	15	4	0,520	8715089 320155
32020	20	3	0,600	8715089 320209
32025	25	3	0,710	8715089 320254
32030	30	3	0,870	8715089 320308

buis / tube Ø 32 t/m Ø 50 mm



Polyester trekveer (zwart) Ø 6,0 mm + M5 zoekveer inclusief pvc oprol box (Ø40cm)

Polyester fishtape (black) Ø 6,0 mm + flexible lead spring including pvc box

32031	30	1	2,130	8715089 320315
32032	45	1	2,550	8715089 320322



Zoekveer M5 voor oranje en zwarte polyester trekveer / Flexible lead spring M5

34031	1	0,009	8715089 340313
-------	---	-------	----------------

Trekoog kopje M5 voor oranje en zwarte polyester trekveer / M5 Head polyester

34032	1	0,001	8715089 340320
-------	---	-------	----------------



M5 kopje (op de polyester trekveer) is geschikt voor de IDEEAL kabeltrekkousen
 M5 heads (on the polyester fishtape) are suitable for the IDEEAL Cable Grips



GLASFIBER Ø 3,5mm

Glasfiber Trekveren voor de elektrotechniek (vakman)

Glassfiber fishtape for electrical engineering sector (professional)

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Franco: vanaf € 300,=

Speciale verpakking wordt berekend

Glasfiber trekveer Ø 3,5 mm + zoekveer + 1 M5 kopje

Glassfiber fishtape Ø 3,5 mm + flexible lead spring + 1 M5 head

buis / tube Ø 16 t/m Ø 32 mm



37000	30	1	0,450	8715089 370006
-------	----	---	-------	----------------

Glasfiber trekveer Ø 3,5 mm + zoekveer + 1 M5 kopje inclusief metalen haspel Ø 25 cm

Glassfiber fishtape Ø 3,5 mm + flexible lead spring + 1 M5 head including metal reel Ø 25 cm



37090	30	1	1,480	8715089 370907
-------	----	---	-------	----------------

Metalen haspel Ø25cm voor glasfiber trekveer Ø3,5mm (excl. glasf. Trekveer)

Metal reel Ø25cm for glassfiber fishtape Ø3,5mm (exclusive glassfiber fishtape)



37180	Ø 25	1	1,030	8715089 371805
-------	------	---	-------	----------------

Zoekveer M5 - kopje Ø 6 mm / Flexible lead spring M5 -head Ø 6 mm

37231		1	0,007	8715089 372314
-------	--	---	-------	----------------



Trekoog M5 kopje Ø 6 mm / Towing bracket M5 head Ø 6 mm

37232		1	0,002	8715089 372321
-------	--	---	-------	----------------



A Reparatie set / Repair kit

37230		1 set	0,005	8715089 372307
-------	--	-------	-------	----------------



B Koppelbusje Ø 6 mm / Connect tube Ø 6 mm

37233		1 set	0,010	8715089 372338
-------	--	-------	-------	----------------



C Lijm voor glasfiber trekveer / Glue for glassfiber fishtape


37280		1	5 ml	8715089 372802
-------	--	---	------	----------------



D Pers krimp tang (vastpersen kopjes op glasfiber 3,5-4,5-6,0 mm)

D Press crimping tool (to press the head of glassfiber fishtape 3,5-4,5-6,0mm)

37275		1	1,470	8715089 372758
-------	--	---	-------	----------------



A-B-C-D Compleet reparatie pakket voor glasfiber Ø 3,5 mm / Full repair kit

37235		1	1,490	8715089 372352
-------	--	---	-------	----------------

reparatie pakket tbv glasfiber Ø 3,5 mm = A-B-C-D

Z \ P H I D # E Y

E I v w h u k x l } h q # 4 0 4 6 / # 9 3 7 # D H # Z I f k h q / # D h g h w a l q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4 /

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # t u r o ; 3 8 < 5 : 5 < 6 / # N y N # D u j k h p # 3 4 7 : 3 < ; # Z h e v l n # z z z z | p h i d i q / # I q d l e q i r c z | p h i d i q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.



GLASFIBER Ø 4,5mm

9

Glasfiber Trekveren voor de elektrotechniek (vakman)

Glassfiber fishtape for electrical engineering sector (professional)

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Franco: vanaf € 300,=

Speciale verpakking wordt berekend

buis / tube Ø 32 t/m Ø 50 mm

Glasfiber trekveer Ø 4,5 mm + zoekveer + 1 M5 kopje + 1 M5 roterende kop

Glassfiber fishtape Ø 4,5 mm + flexible lead spring + 1 M5 head + 1 M5 rotationed head

37010	50	1	1,380	8715089 370105
-------	----	---	-------	----------------



Glasfiber trekveer Ø 4,5 mm + zoekveer + 1 M5 kopje + 1 M5 roterende kop inclusief metalen haspel Ø 35 cm

Glassfiber fishtape Ø 4,5 mm + flexible lead spring + 1 M5 rotationed head including metal reel Ø 35 cm


37100	50	1	3,510	8715089 371003
-------	----	---	-------	----------------



Metalen haspel Ø35cm voor glasfiber trekveer Ø4,5mm (excl. glasf, trekveer)

Metal reel Ø35cm for glassfiber fishtape Ø4,5mm (exclusive glassfiber fishtape)

37190	Ø 35	1	2,130	8715089 371904
-------	------	---	-------	----------------



Zoekveer M5 kopje Ø 8 mm / Flexible lead spring M5 -head Ø 8 mm

37253		1	0,009	8715089 372536
-------	--	---	-------	----------------

Trekoog M5 kopje Ø 8 mm / Towing bracket M5 head Ø 8 mm

37254		1	0,003	8715089 372543
-------	--	---	-------	----------------

Roterende kop Ø 30 mm M5 / Rotationed head Ø 30 mm M5

37252		1	0,061	8715089 372529
-------	--	---	-------	----------------



A Reparatie set / Repair kit

37240		1 set	0,025	8715089 372406
-------	--	-------	-------	----------------

B Koppelbusje Ø 8 mm / Connect tube Ø 8 mm

37241		1 set	0,004	8715089 372413
-------	--	-------	-------	----------------



C Lijm voor glasfiber trekveer / Glue for glassfiber fishtape

37280		1	5 ml	8715089 372802
-------	--	---	------	----------------



D Pers krimptang (vastpersen kopjes op glasfiber 3,5-4,5-6,0mm)

D Press crimping tool (to press the head of glassfiber fishtape 3,5-4,5-6,0mm)

37275		1	1,470	8715089 372758
-------	--	---	-------	----------------



A-B-C-D Compleet reparatie pakket voor glasfiber Ø 4,5 mm / Full repair kit

37242		1	1,500	8715089 372420
-------	--	---	-------	----------------

reparatie pakket tbv glasfiber Ø 4,5 mm = A-B-C-D

Z \ P H I D # E Y

E I v w h u k x l } h q # 4 0 4 6 / # 9 3 7 # D H # Z I f k h q / # D h g h w a l q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # q u o ; 3 8 < 5 : 5 < 6 / # N Y N # d u q k h p # 3 4 7 : 3 < ; # Z h e v m h z z z z z | p h i d i q # # q d l i # q i r c z | p h i d i q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the unproper use of our products and information. Consult your supplier for more technical information.



GLASFIBER Ø 6,0mm

10

Glasfiber Trekveren voor de elektrotechniek (vakman)

Glassfiber fishtape for electrical engineering sector (professional)

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Franco: vanaf € 300,=

Speciale verpakking wordt berekend

buis / tube Ø 50 t/m Ø 80 mm

Glasfiber trekveer Ø 6,0 mm + zoekveer + 1 M5 kopje + 1 M5 roterende kop

Glassfiber fishtape Ø 6,0 mm + flexible lead spring + 1 M5 head + 1 M5 rotationed head

37020	60	1	2,280	8715089 370204
37030	80	1	3,040	8715089 370303
37040	100	1	3,800	8715089 370402



Glasfiber trekveer Ø 6,0 mm + zoekveer + 1 M5 kopje + 1 M5 roterende kop inclusief metalen haspel Ø 60 cm

Glassfiber fishtape Ø 6,0 mm + flexible lead spring + M5 rotationed head including metal reel Ø 60 cm

37110	60	1	8,010	8715089 371102
37120	80	1	8,770	8715089 371201
37130	100	1	9,530	8715089 371300



Metalen haspel Ø60cm voor glasfiber trekveer Ø6,0mm (excl. glasf, trekveer)

Metal reel Ø60cm for glassfiber fishtape Ø6,0mm (exclusive glassfiber fishtape)

37200	Ø 60	1	5,730	8715089 372000
-------	------	---	-------	----------------



Zoekveer M5 kopje Ø 8 mm / Flexible lead spring M5 -head Ø 8 mm

37253		1	0,009	8715089 372536
-------	--	---	-------	----------------

Trekoog M5 kopje Ø 8 mm / Towing bracket M5 head Ø 8 mm

37254		1	0,003	8715089 372543
-------	--	---	-------	----------------

Roterende kop Ø 30 mm M5 / Rotationed head Ø 30 mm M5

37252		1	0,061	8715089 372529
-------	--	---	-------	----------------



A Reparatie set / Repair kit

37250		1 set	0,020	8715089 372505
-------	--	-------	-------	----------------

B Koppelbusje Ø 8 mm / Connect tube Ø 8 mm

37251		1 set	0,018	8715089 372512
-------	--	-------	-------	----------------

C Lijm voor glasfiber trekveer / Glue for glassfiber fishtape

37280		1	5 ml	8715089 372802
-------	--	---	------	----------------

D Pers krimp tang (vastpersen kopjes op glasfiber 3,5-4,5-6,0mm)

D Press crimping tool (to press the head of glassfiber fishtape 3,5-4,5-6,0mm)

37275		1	1,470	8715089 372758
-------	--	---	-------	----------------



A-B-C-D Compleet reparatie pakket voor glasfiber Ø 6,0 mm / Full repair kit

37256		1	1,510	8715089 372567
-------	--	---	-------	----------------

reparatie pakket tbv glasfiber Ø 6,0 mm = A-B-C-D

Z \ P H I D # Y

E Invnhukx1]hg#4046/#937#DH#E Hkkg/#D hghuagg/#WdL 64+3,57#9745634

IEDQ #Q O45UDER #669#6; #75/#E IF #JDER Q O5X

EWZ #tu#QO; 38<5: 5<6/#vYn #D ujkhp #347: 3<; #E hevln#z z z z |p hidiqo#H q dL#qirc z |p hidiq

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the unproper use of our products and information. Consult your supplier for more technical information.



GLASFIBER Ø 9,0mm

Glasfiber Trekveren voor de elektrotechniek (vakman)

Glassfiber fishtape for electrical engineering sector (professional)

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Glasfiber trekveer Ø 9,0 mm + zoekveer + 1 M12 roterende kop

Glassfiber fishtape Ø 9,0 mm + flexible lead spring + 1 M12 rotationed head

37050	60	1	5,750	8715089 370501
37060	100	1	9,560	8715089 370600
37070	120	1	11,480	8715089 370709

Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Verzendkosten via staffel (pag 18)

Speciale verpakking wordt berekend

buis / tube Ø 60 t/m Ø 120 mm



Glasfiber trekveer Ø 9,0 mm + zoekveer + 1 M12 roterende kop inclusief metalen haspel Ø 100 cm (bij 60 m = haspel Ø 70 cm)

Glassfiber fishtape Ø 9,0 mm + flexible lead spring + 1 M12 rotationed head including metal reel Ø 100 cm (by 60 m = reel Ø 70 cm)

37140	60	1	16,950	8715089 371409
37150	100	1	30,000	8715089 371508
37160	120	1	31,920	8715089 371607



Metalen haspel Ø70cm voor glasfiber trekveer Ø9,0 x 60m (excl. glasf, trekv.)


Metal reel Ø70cm for glassfiber fishtape Ø9,0mm x 60m (excl. glassfiber fishtape)

37210	Ø 70	1	11,200	8715089 372109
-------	------	---	--------	----------------

Metalen haspel Ø100cm voor glasf, trekv. Ø9,0+Ø11,0mm (excl. glasf, trekv.)

Metal reel Ø100cm for glassfiber fishtape Ø9,0+Ø11,0mm (exclusive glassfiber fishtape)

37220	Ø 100	1	20,440	8715089 372208
-------	-------	---	--------	----------------



Roterende bus Ø 53 mm M12 / Rotationed tube Ø 53 mm M12

37262		1	0,310	8715089 372628
-------	--	---	-------	----------------



Zoekveer M12 kopje Ø 14 mm / Flexible lead spring M12 -head Ø 14 mm

37266		1	0,056	8715089 372666
-------	--	---	-------	----------------



A Reparatie set / Repair kit

37260		1 set	0,120	8715089 372604
-------	--	-------	-------	----------------



B Koppel bus Ø 14 mm voor 9mm veer / Connect head Ø 14mm 9mm fishtape

37261		1 st	0,037	8715089 372611
-------	--	------	-------	----------------



A-B Compleet reparatie pakket voor glasfiber Ø 9,0 mm / Full repair kit

37263		1	0,157	8715089 372635
-------	--	---	-------	----------------

reparatie pakket tbv glasfiber Ø 9,0 mm = A-B

Z \ P H I D # E Y

E I v v h u k x l] h q # 4 0 4 6 / # 9 3 7 # D H # z I f k h q / # D h g h w a l q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # t u Q 0 ; 3 8 < 5 : 5 < 6 / # N Y N # D u j k h p # 3 4 7 : 3 < ; # Z h e v m h # z z z | p h i d i q # I q d l e # i r c z | p h i d i q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the unproper use of our products and information. Consult your supplier for more technical information.



GLASFIBER Ø 11,0mm

12

Glasfiber Trekveren voor de elektrotechniek (vakman)

Glassfiber fishtape for electrical engineering sector (professional)

Artikelnr.	Maten in m	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Packing	Weight p.pc	EAN code

Glasfiber trekveer Ø 11,0 mm + zoekveer + 1 M12 roterende kop

Glassfiber fishtape Ø 11,0 mm + flexible lead spring + 1 M12 rotationed head

37080	150	1	21,060	8715089 370808
37083	200	1	28,080	8715089 370839

Glasfiber trekveer Ø 11,0 mm + zoekveer + 1 M12 roterende kop inclusief metalen haspel Ø 100 cm

Glassfiber fishtape Ø 11,0 mm + flexible lead spring + rotationed head including metal reel Ø 100 cm

37170	150	1	41,500	8715089 371706
37173	200	1	47,500	8715089 371737

Metalen haspel Ø100cm voor glasf, trekv. Ø9,0+Ø11,0mm (excl. glasf, trekv.)

Metal reel Ø100cm for glassfiber fishtape Ø9,0+Ø11,0mm (exclusive glassfiber fishtape)

37220	Ø 100	1	20,440	8715089 372208
-------	-------	---	--------	----------------

Roterende kop Ø 53 mm M12 / Rotationed head Ø 53 mm M12

37262		1	0,310	8715089 372628
-------	--	---	-------	----------------

Zoekveer M12 kopje Ø 14 mm / Flexible lead spring M12-head Ø 14 mm

37266		1	0,056	8715089 372666
-------	--	---	-------	----------------

A Reparatie set / Repair kit

37270		1 set	0,140	8715089 372703
-------	--	-------	-------	----------------

B Koppel bus Ø 14 mm voor 11mm veer / Connect head Ø 14mm 11mm fishtape

37271		1 st	0,007	8715089 372710
-------	--	------	-------	----------------

A-B Compleet reparatie pakket voor glasfiber Ø 11,0 mm / Full repair kit

37273		1	0,147	8715089 372734
-------	--	---	-------	----------------


Betaling: 8 dagen 2%, 30 dagen netto

Levertijd: ca. 1 week

Verzendkosten via staffel (pag 18)

Speciale verpakking wordt berekend

buis / tube Ø 80 t/m Ø 200 mm



reparatie pakket tbv glasfiber Ø 11,0 mm = A-B

Z \ P H I D # E Y

E l w h k x l h q # 4 0 4 6 / # 9 3 7 # D H # z l f k h q / # Q h g h u d q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4 / #

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # t u Q O ; 3 8 < 5 : 5 < 6 / # N y N # D u g k h p # 3 4 7 : 3 < ; # Z h e v l n # z z z l z | p h i d l q # H i Q d l h q i r C z | p h i d l q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the unproper use of our products and information. Consult your supplier for more technical information.

IDEAAL Buigveren voor de elektrotechniek

IDEAAL Bending spring (Electrical)

Artikelnr.	Maten in cm	Ø in "	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Ø in "	Packing	Weight p.pc	EAN code

Betaling: 8 dagen 2%, 30 dagen netto
 Levertijd: ca. 1 week
 Franco: vanaf € 300,=
 metrische maten buigveren leverbaar

IDEAAL buigveer uit verzinkt hoogw. verendraad 2x2 mm zonder binnenKABEL+taps

IDEAAL Bending spring from galvanized high-grade spring wire 2x2 mm without inner cable + tapered ends

92110	60	5/8	25	0,285	8715089 921109
92210	80	5/8	25	0,375	8715089 922106
92310	100	5/8	25	0,480	8715089 923103
92410	150	5/8	10	0,720	8715089 924100
92510	200	5/8	10	0,955	8715089 925107
92610	60	3/4	15	0,360	8715089 926104
92710	80	3/4	15	0,475	8715089 927101
92810	100	3/4	15	0,595	8715089 928108
92910	150	3/4	10	0,890	8715089 929105
93110	200	3/4	10	1,195	8715089 931108

buis / tube Ø 5/8" en Ø 3/4"



IDEAAL buigveer uit blank hoogw. verendraad 2x2 mm zonder binnenKABEL

IDEAAL Bending spring from blank high-grade spring wire 2x2 mm without inner cable

93910	100	1/2	10	0,390	8715089 939104
-------	-----	-----	----	-------	----------------

buis / tube Ø 1/2"



IDEAAL buigveer uit verzinkt hoogw. verendraad 3x3 mm zonder binnenKABEL

IDEAAL Bending spring from galvanized high-grade spring wire 3x3 mm without inner cable

94100	80	1	1	0,980	8715089 941008
94110	100	1	1	1,230	8715089 941107
94120	200	1	1	2,130	8715089 941206
94200	80	1 1/4	1	1,285	8715089 942005
94210	100	1 1/4	1	1,605	8715089 942104

buis / tube Ø 1" en Ø 1 1/4"



ELEMEC buigveer uit verzinkt hoogw. verendraad 2x2 mm versterkt + tapse uiteinden

IDEAAL Bending spring from galvanized high-grade spring wire 2x2 mm without inner cable+tapered ends

61081	80	16mm	25	0,480	8715089 610805
61100	160	16mm	10	0,910	8715089 611000
62081	80	20mm	15	0,640	8715089 620811
62161	160	20mm	10	1,235	8715089 621610
63080	80	25mm	10	0,765	8715089 630803
63160	160	25mm	5	1,625	8715089 631602
63095	80	32mm	5		GSV102K-1"1/4
	160	32mm	1		GSV102L-1"1/4

buis / tube Ø 5/8" en Ø 3/4"



IDEAAL buigveer uit verzinkt hoogw. verendraad 2,5x2,5 mm versterkt + taps

IDEAAL Bending spring from galvanized high-grade spring wire 2,5x2,5 mm reinforced + tapered ends

63080	80	1	1	0,900	8715089 630803
-------	----	---	---	-------	----------------

buis / tube Ø 1"




IDEAAL buigveer uit verzinkt hoogw. verendraad 3x3 mm versterkt + taps

IDEAAL Bending spring from galvanized high-grade spring wire 3 x 3 mm reinforced + tapered ends

94300	80	1 1/2	1	2,150	8715089 943002
94410	80	2	1	2,115	8715089 944108

buis / tube Ø 1 1/2" en Ø 2"



Z \ P H I D # Y

E l w h k x l j h q # 4 0 4 6 / # 9 3 7 # D H # Z I f k h q / # Q h g h u i q g / # W h d . 6 4 + 3 , 5 7 # 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # 6 6 9 # 6 ; # 7 5 / # E I F # D E R Q 0 5 X

E W Z # t u # D O ; 3 8 < 5 : 5 < 6 / # N y N # D u g k h p # 3 4 7 : 3 < ; / # E h e v l h # z z z l z | p h i d l q # # Q p d l # # i r C z | p h i d l q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.

IDEAAL Buigveren voor de elektrotechniek

IDEAAL Bending spring (Electrical)

Artikelnr.	Maten in cm	Ø in mm	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Ø in mm	Packing	Weight p.pc	EAN code


Betaling: 8 dagen 2%, 30 dagen netto
 Levertijd: ca. 1 week
 Franco: vanaf € 300,=
 Speciale verpakking wordt berekend

IDEAAL buigveer voor moffenbuis (schuifbuis) Ø19mm buitenmaat, met binnenveer

IDEAAL bending spring for socket tube (sliding tube) Ø19mm external diameter, with internal spring

94800	80	22mm	15	0,700	8715089 948007
94810	100	22mm	15	0,880	8715089 948106

buis / tube Ø 22 mm




IDEAAL buigveer met binnenveer, versterkt - voor halogeenvrije buis

IDEAAL bending spring for halogen-free pipe with internal spring, strengthened

92211H	80	16mm (BVØ12,4)	15	0,290	8715089 922113
92711H	80	19mm (BVØ15,9)	15	0,590	8715089 927149
92712H	80	20mm (BVØ16,4)	15	0,610	8715089 927163

buis / tube Ø 19 en Ø 20 mm



Buigveer sanitair en cv-techniek (voor PEX radiator buizen)

Bending spring for Sanitary - and Central heating technique (PEX pipe)

Binnenbuigveer (incl. 2 schuine ogen)

Inner bending spring (incl. 2 diagonal eyes)

401409B	0,5	Ø 9,0	100		8715089 014085
401611B	0,5	Ø 10,8	100	0,195	8715089 016102
401812B	0,5	Ø 12,8	75	0,240	8715089 016096
402014B	0,5	Ø 14,8	75	0,280	8715089 018113
402618B	0,5	Ø 18,8	75	0,335	8715089 020130


buis / tube Ø 14,16,18,20,26 mm



Buitenbuigveer

Outer bending spring

401419B	0,5	Ø 15,0	50	0,400	8715089 014184
401621B	0,5	Ø 17,2	50	0,440	8715089 016201
401823B	0,5	Ø 19,2	40	0,480	8715089 018229
402024B	0,5	Ø 21,2	40	0,525	8715089 020239
402625B	0,5	Ø 27,2	25		8715089 020284
403226B	0,5	Ø 33,2	20		8715089 032263



Afname: minimaal 25 stuks per soort

Plooi veer voor koperen buis

Bending spring for copper pipe

Plooi veren voor koperen buis uit gegalvaniseerde draad Ø 2mm

(voor het plooi en van zacht metalen leidingen)

Bending spring for copper pipe from gavanized wire Ø 2mm

(to bend soft metal pipes)

Artikelnr.	Maten in cm	Ø in mm	Overdoos	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Ø in mm	Packing	Weight p.pc	EAN code

buis / tube Ø 8, 10, 12, 15 mm

45019	25	8,5	25	0,085	8715089 450197
45021	27	10,5	25	0,130	8715089 450210
45030	30	12,5	25	0,170	8715089 450302
45060	30	15,5	25	0,270	8715089 450609



Z \ P H I D # E Y

E l w h k x l h q # 5 4 0 4 6 # 9 9 3 7 # D H # Z l f k h q / Q h g h u i g g / N h d . 6 4 + 3 , 5 7 # 9 7 4 5 6 3 4

I E D Q # Q 4 5 U D E R # B 6 6 9 # 6 ; # 7 5 / E I F # J D E R Q 0 5 X

E W Z # j u # Q ; 3 8 < 5 : 5 < 6 / N y N # D u g k h p # 3 4 7 : 3 < ; / E h e v l h # z z z l z | p h i d l q o # i q p d l h q i r c z | p h i d l q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the unproper use of our products and information. Consult your supplier for more technical information.

**Ontstoppingsapparaten voor hand en boormachine aandrijving**

Drain cleaner for manual and power drill use

Artikelnr.	Maten in m	Ø in mm	Verpakt per	Gewicht p.st.	EAN code
Article nr.	Dimens. in m	Ø in mm	Packing	Weight p.pc	EAN code

30 dagen netto.
Levertijd: ca. 1 week
Franco: v/a € 300,=

Spec.verpakking wordt berekend

WYMEFA ER ontstoppingsapparaat MINI

Handig apparaat voor kleine verstoppingen. De ontstoppingsveer wordt met een schroef los of vastgedraaid. Inclusief veer Ø 6,4mm x 4,5 meter, met bolvormige kop.

WYMEFA ER drain cleaner MINI

Practical tool for small obstructions. The drain cleaning cable is fastened and loosened with a screw.

Includes snake Ø 6.4mm x 4.5 metres, with ball head.

92590	4,5	6,4	1	1,500	8715089 925909
-------	-----	-----	---	-------	----------------

**WYMEFA ER ontstoppingsapparaat MIDI**

De ontstoppingsveer wordt met de handige snel-spankop los of vastgedraaid. Inclusief veer Ø 8,0 mm x 7,5 meter, met bolvormige kop

WYMEFA ER drain cleaner MIDI

The drain cleaning cable is fastened and loosened with a practical quick-acting chuck.

Includes snake Ø 8.0 mm x 7.5 metres, with ball head

92591	7,5	8,0	1	2,800	8715089 925916
-------	-----	-----	---	-------	----------------

**WYMEFA ER ontstoppingsapparaat MAXI**

De ontstoppingsveer wordt met de handige snel-spankop los of vastgedraaid. Inclusief veer Ø 10,0 mm x 9,5 meter, met bolvormige kop

WYMEFA ER drain cleaner MAXI

The drain cleaning cable is fastened and loosened with a practical quick-acting chuck.

Includes drain cleaning cable Ø 10.0 mm x 9.5 metres, with ball head

92592	10	10,0	1	4,300	8715089 925923
-------	----	------	---	-------	----------------

**Wymefa ontstoppingsveren met bolvormige kop**

Ter vervanging(reserve) van de ER MINI, MIDI, MAXI ontstoppingsapparaten.

Wymefa drain cleaning cable with ball heads

As replacement (spare) for ER MINI, MIDI, MAXI drain cleaning machines.

97605	4,5	6,4-1/4"	1	0,790	8715089 976055
97615	7,5	8,0-5/16"	1	1,785	8715089 976154
97630(S)	10	10,0- 3/8"	1	3,700	8715089 976307

**Wymefa sifon-reinigingsveer**

Voor badkuip- en doucheafvoer. Extra korte, zeer flexibele veer voor het reinigen van compacte badkuip- en doucheafvoersifons.

Wymefa siphon cleaning cable

For bath and shower drains. Extra short, highly flexible drain cleaning cable for cleaning compact bath and shower siphons.

100501	0,4	6	1	0,070	8715089 005014
--------	-----	---	---	-------	----------------



Z \ P H I D # E Y

E l m w h u k x l j h q # 4 0 4 6 / # 9 3 7 # D H # Z j f k h q / # Q h g h u a d q g / # N h d . 6 4 + 3 , 5 7 # 9 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # B 6 6 9 # 6 ; # 7 5 / # E I F # J D E R Q 0 5 X

E W Z # t u # Q 0 ; 3 8 < 5 : 6 < 6 / # N y N # D u j k h p # 3 4 7 : 3 < ; / # Z h e v j h # z z z z | p h i d i q o # H o p d l # z i r C z | p h i d i q o

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.

**Ontstoppingsveren doe-het-zelf**

Drain cleaning Cables Do-It-Yourself

Artikelnr. Maten in m Ø in mm Overdoos Gewicht p.st. EAN code
 Article nr. Dimens. in m Ø in mm Packing Weight p.pc EAN code

Betaling: 8 dagen 2%, 30 dagen netto
 Levertijd: ca. 1 week
 Franco: vanaf € 300,=
 Speciale verpakking wordt berekend

VALONKA ontstoppingsveer met PVC overtrokken zwengel

VALONKA Drain cleaning cables with PVC-covered handle

Artikelnr.	Maten in m	Ø in mm	Overdoos	Gewicht p.st.		EAN code
97003	3	5	10	0,270		8715089 970039

**VALONKA ontstoppingsveer met kunststof handgreep + spiraalspits**

VALONKA Drain cleaning cables with synthetic handle + cork-screw head

Artikelnr.	Maten in m	Ø in mm	Overdoos	Gewicht p.st.		EAN code
97002	1,5	6	4	0,200	spiraalspits	8715089 970022
97004	3	6	4	0,410	spiraalspits	8715089 970046

**VALONKA ontstoppingsveer met kunststof handgreep + klauw + boorkop**

VALONKA Drain cleaning cables with synthetic handle + claw or drill head

Artikelnr.	Maten in m	Ø in mm	Overdoos	Gewicht p.st.		EAN code
97503	3	6	4	0,435	klauw	8715089 975034
97006	5	9	4	1,435	boorkop	8715089 970060
97505	5	9	4	1,445	klauw	8715089 975058
97011	10	9	4	2,690	boorkop	8715089 970114
97510	10	9	4	2,750	klauw	8715089 975102

**VALONKA ontstoppingsveer met kunststof handgreep - voor de scheepvaart**

VALONKA Drain cleaning cables with synthetic handle - for shipping

Artikelnr.	Maten in m	Ø in mm	Overdoos	Gewicht p.st.		EAN code
97506	5	6	10	0,560	klauw	8715089 975065
97510	10	9	8	2,570	klauw	8715089 975102
97600	15	9	5	4,080	klauw	8715089 976000



Z \ P H I D E Y

E l w h k x l h q # 5 4 0 4 6 # 9 3 7 # D H # I f k h q # Q h g h u w l q g # N h d . 6 4 + 3 , 5 7 # 9 7 4 5 6 3 4

I E D Q # Q 0 4 5 U D E R # B 6 6 9 # 6 ; # 7 5 # E I P # J D E R Q 0 5 X

E W Z # t u # Q 0 ; 3 8 < 5 : 5 < 6 # N Y N # D u q k h p # 3 4 7 : 3 < ; # Z h e v l h # z z z l z | p h i d l q o # I p d l h q i r c z | p h i d l q

The technical data in this brochure reflects our knowledge at the time of issue. We reserve the right to change our products and brochures.

We do not undertake any liability for the result of the improper use of our products and information. Consult your supplier for more technical information.